

TECHNICAL DATA SHEET

ROX[®] MF 2900

Code 8277*ULSMGO Lubricity Improver*

DESCRIPTION

ROX[®] MF 2900 is specifically formulated to improve the lubricity of Ultra Low Sulphur MGO and other middle distillates and hybrid fuels with poor lubricity. Fuels that do not have sufficient lubricity will lead to greater wear and tear on engine equipment, fuel pumps and injection equipment. ROX[®] MF 2900 is a highly effective way of improving the lubricity of the fuel, measurable through the HFRR test procedure. Greater longevity of engine components and reduced maintenance costs will be observed.

BENEFITS

- Significant increase in lubricity at a low treat rate
- Effective for all low sulphur, low lubricity marine fuels
- Reduced maintenance costs
- Greater longevity of engine components, usually affected by poor lubricity

APPLICATION

The minimum treat rate is **200ppm**, but will increase depending on the lubricity of the untreated fuel and the final HFRR result that is desired. Lubricity HFRR testing is available upon request. Callington can carry out customized testing for your fuel specific requirements to determine optimal treat rates.

SPECIFICATION

Appearance colour : light brown coloured liquid
Density : 0.91 +/- 0.02
Transparency : clear

HANDLING

Combustible - Do not use near open flame or heat. Keep out of reach of children. Refer to the Material Safety Data sheet for further information.

FIRST AID

If swallowed - do NOT induce vomiting. Give a glass of water to drink. Contact a Doctor or Poisons Information Centre.

If in eyes flush with plenty of water for at least 15 minutes. If on skin, wash with soap and water. Refer to Material Safety Data sheet.

PACKAGING

Available in 20L & 200L

WARRANTY – All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.

Created 10 October 2008 Date Printed 28/03/2018 1:33 PM