

## TECHNICAL DATA SHEET

# CH8000

## Aircraft Heavy Duty Exterior Dry Wash

Code 2515



### DESCRIPTION

CH8000 is a unique dry wash heavy duty cleaner, based on an emulsifiable solvent and biodegradable surfactant system, especially formulated for use on all exterior aircraft surfaces. CH8000 will break and remove heavy oil and smoke trail deposits associated with the landing gear and engine exhaust areas of aircraft.

The waterless cleaning method is safe to use while maintenance is performed at the same time, reducing maintenance downtime and turnaround time. Surfaces are left clean, shiny, and glossy.

### FEATURES & BENEFITS

- No water necessary to clean the aircraft
- Excellent cleaning and degreasing with no dust
- No paint dulling, does not contain abrasives
- Easy application by spraying, brushing, or wiping
- Clings to the surface for maximum cleaning
- High gloss with no streaking
- Short dwell-time and minimal agitation requirements
- Tested and approved according to international aviation standards
- Contains no ammonia or phosphates



### DIRECTIONS FOR USE

1. For areas where there is heavy grease, oil, hydraulic oil build-up, we recommend wiping down the area with Callington Actasol degreaser first.
2. Shake or stir well before use.
3. Dilution prior to use:
  - Heavy soiling: use undiluted
  - Medium soiling: dilute 1:1 with water
  - Light soiling: dilute 1:4 with water (Discard diluted solutions within 24 h)
4. Apply in smooth continuous strokes over the surface in sections, with a clean cloth, mop, brush, pad, or spray equipment. For heavy soiling spread and agitate the product over the surface.
5. Leave for five to ten minutes.
6. Remove completely by wiping with a clean microfiber/soft cotton cloth while the product is still wet. Replace cloth before it becomes saturated with soil.
7. Repeat process if section is not clean, then continue to next section.

## TECHNICAL DATA SHEET

### APPROVALS & SPECIFICATIONS

Boeing D6-17487  
AMS 1526C

### PRODUCT CHARACTERISTICS

Appearance: Viscous, slightly hazy amber liquid  
Density at 20°C: 0.95  
pH: 10.0 – 11.0 (neat)

### SAFETY AND HANDLING INFORMATION

Please read Material Safety Data Sheet before using this product.

CH8000 is alkaline and will cause defatting of skin with continuous use.  
Avoid contact with eyes, skin and breathing spray mist.

Wear eye protection and protective gloves when using (use butyl, neoprene or viton gloves and chemical goggles).

### FIRST AID

For advice contact a Poisons Information Centre. If swallowed, do NOT induce vomiting. If swallowed, do NOT induce vomiting. If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

### ORDERING INFORMATION

Product Code	Packaging	Units/Carton
2515/42	5 litres	Each
2515/51	20 litres	Each
2515/64	200 litres	Each

**WARRANTY** – All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.

Created 19 February 2020 Date Printed 25/03/2021 5:30 PM